JOURNAL OF COATINGS TECHNOLOGY

Annual Index

1978

Volume 50
Numbers 636-647
January thru December, 1978

Journal of Coatings Technology
1978 Annual Index

Keyword Subject Index

Prepared by Technical Systems
Information Committee

Application and Finishing

Electrodeposition, cationic ..... Nov., 38
Electrostatic spraying ..... Aug., 62
Energy consumption ..... May, 94; June, 33
Film curing and drying ..... Mar., 33; Mar., 54; June, 33
Film curing and drying, amine emission ..... Mar., 39; Apr., 66
Quality control, coating weight ..... May, 78
Roller coating, spatter and tracking ... May, 53; May, 61; June, 56; June, 72
Solvent evaporation ..... Nov., 46; Dec., 39

Biological Materials and Processes

Fungi/mildew .... Apr., 36; Apr., 43; Apr., 48; Apr., 51; Apr., 54; Apr., 56; Apr., 58; Apr., 62
Microorganisms, painted panels ..... June, 31

Chemical Materials and Processes

Acetylacetonates, metallic salts ..... Mar., 54
o-Acrylyl salicylanilide ..... Jan., 49
N-(Alkoxymethyl) acrylamide ..... Aug., 67
Benzene ..... Nov., 82
Beta-hydroxyalkylamides ..... Aug., 49
Cellulose as a raw material ..... Feb., 71
Copper chromate ..... Feb., 59
Cuprous oxide ..... Oct., 60
Di-iodomethyl *p*-tolyl sulfone ..... Feb., 56
Di(phenyl mercury) dodecenyl succinate ..... Feb., 56
Hydroxamic acid ..... Dec., 58
8-Hydroxyquinolyl acrylate ..... Jan., 49
3-Iodo-2-propynyl butyl carbamate ..... Sept., 62
Isocyanates, blocked ..... Dec., 58
Isophthalic acid ..... Oct. 29
N-Methylolacrylamide ..... June, 41
Naphthenates, metallic salts ..... Feb., 51
Octoates, metallic salts ..... Feb., 51
2-n-Octyl-4-isonthiazoline-3-one ..... Sept., 62
Pentachlorophenyl acrylate ..... Jan., 49
Peroxide curing agents ..... Sept., 83
Phenyl mercuric oleate ..... Sept., 62
Phorwhite K 2002 ..... July, 84
Poly-alpha-methyl styrene ..... Oct., 29
Silane coupling agents ..... Sept., 70
Starch as a raw material ..... Jan., 81
2,4,5,6-Tetrachloro isophthalonitrile .. Feb., 56; Sept., 62
2,3,5,6-Tetrachloro-4-(methyl sulfonyl) pyridine .. Sept., 62
Tetrafluoroethylene - linseed oil adduct ..... Jan., 81
2-(4-Thiazolyl) benzimidazole ..... Feb., 56; Sept., 62
2-(4′-Thiazoyl)-benzimidazole acrylate ..... Jan., 49
Tinopal SFG ..... July, 84
Trans-1,2-bis (n-propylsulfonyl)ethene ..... Sept., 62
2,3,5-Trichloro-4-propyl sulfonyl pyridine ..... Feb., 56
Uvitex OB ..... July, 84
Amine - acrylic reaction ..... Mar., 39
Amine - polyester reaction ..... Apr., 66
Cathode (metallic) substrate reaction ..... Nov., 38
Enzymatic hydrolysis of cellulosics ..... Feb., 71

Coating-Related Products

Adhesion promoters ..... Sept., 70
Sealants ..... June, 27; Sept., 66

Coatings

Antifouling ..... Feb., 65; Oct., 60
Architectural, exterior ..... Jan., 69; Jan., 81; July, 84; Sept., 62
Biocidal (fungicidal) ..... Jan., 49; Feb., 56; Apr., 36; Apr., 43; Apr., 48; Apr., 51; Apr., 54; Apr., 56; Apr., 58; Apr., 62; June, 31; Sept., 62
Corrosion-resistant ..... July, 86
Electrodeposited, cationic ..... Nov., 38
Exterior clear ..... Feb., 59; Oct., 50
Flat interior ..... May, 69
Flat wall, beaded ..... July, 69
Industrial, baking ..... Mar., 39
Interior wall ..... Nov., 64
Marine ..... Mar., 47
Powder ..... Aug., 62
Primer surfacer ..... Oct., 36
Slip-resistant ..... Aug., 33
Traffic ..... Oct., 29

Acrylic ..... Jan., 49; Oct., 36
Acrylic, amine solubilized ..... Mar., 39
Acrylic - Beta-hydroxylamide ..... Aug., 49
Acrylic emulsion ..... Feb., 59
Acrylic latex ..... Feb., 56
Acrylic - vinyl acetate ..... Jan., 49
Acryloxysilane ..... Aug., 67
N-(Alkoxymethyl)acrylamide copolymers ..... Aug., 67
Alkyd ..... May, 86; Sept., 29; Sept., 62; Oct., 29
Alkyd - amino ..... June, 33
Alkyd, clear ..... Oct., 50
Alkyd, tetra fluoroethylene - linseed ..... Jan., 81
Anionic ..... Mar., 39; Apr., 66
Emulsion, crosslinked ..... June, 41; Aug., 67; Sept., 83; Oct., 70; Dec., 65
Fluorocarbon - acrylic ..... Feb., 59
High solids ..... June, 33
Latex ..... May, 53; May, 61; May, 69; June, 56; June, 72; Sept., 57; Nov., 64
Latex, beaded ..... July, 69
Linseed oil, exterior ..... July, 84
N-Methylolacrylamide copolymers ..... June, 41
Oil modified acrylic emulsion ..... Feb., 59
Peroxide-containing polymers ..... Sept., 33

Phenolic, clear ..... Oct., 50
Polyacrylic, blocked isocyanate ..... Dec., 58
Polyester, amine solubilized ..... Apr., 66
Polyester-amino ..... June, 33
Polyester, blocked isocyanate ..... Dec., 58
Polyester - epoxy ..... June, 33
Polyester - urethane ..... June, 33
Silicone - acrylic ..... Feb., 59
Styrene - acrylic ..... Nov., 56
Thermoplastic ..... Mar., 33
Thermosetting ..... Jan., 57; Aug., 49
Urethane - acrylic emulsion ..... Feb., 59
Urethane - polyesteramide, oil modified ..... Nov., 76
Vinyl ..... Oct., 60
Vinyl - acrylic latex ..... Feb., 56
Vinyl silane ..... Aug., 67
Water-based .... June, 41; Aug., 49; Aug., 67; Sept., 83; Oct., 70; Nov., 46; Nov., 76; Dec., 39; Dec., 65

Coatings-Liquid Properties and Tests

Color ..... July, 78
Critical pigment volume concentration (CPVC) .. Sept., 57
Non-volatile matter ..... May, 53; May, 61
Pigment volume concentration (PVC) ..... July, 78
Rheological properties ..... May, 53; May, 61; June 56; June, 72; Nov., 56
Rheological properties, Casson equation ..... Aug., 39
Rolling properties ..... May, 53; May, 61; June, 56; June, 72
Viscometer, Brookfield Synchro-Lectric ..... Aug., 39

Coatings Industry

Benzene hazards ..... Nov., 82
Communication, written ..... Jan., 99
Energy conservation ..... June, 33
Energy consumption ..... May, 94
Pollution control ..... June, 33
Raw materials from cellulosic wastes ..... Feb., 71
Raw materials from starch ..... Jan., 88
Technical reports ..... Jan., 99

Exposures and Weathering

Accelerated, Dirt retention ..... Jan., 69
Accelerated, salt spray, creepback ..... July, 86
Accelerated, weathering rack, sealants ..... June, 27
Accelerated, Weatherometer ..... Jan., 81; Feb., 59
Exterior ..... Jan., 69; Jan., 81; June, 31
Water immersion ..... Feb., 65; Sept., 66

Film Degradation/ Deterioration and Tests

Aging, thermal ..... Aug., 62
Chemical resistance ..... Aug., 62
Corrosion ..... May, 78; July, 86
Corrosion, underwater ..... Mar., 47
Microbiological ..... June, 31
Microbiological, fungi/mildew ..... Jan., 49; Feb., 56; Apr., 36; Apr., 43; Apr., 48; Apr., 51; Apr., 54; Apr., 56; Apr., 58; Apr., 62; Sept., 62
Microbiological, marine fouling ..... Feb., 65; Oct., 60

Film Properties (Dry Film) and Tests

Adhesion ..... Sept., 70
Amine loss ..... Mar., 39; Apr., 66
Coating weight, zinc phosphate ..... May, 78; July, 86
Color ..... Feb., 51
Dirt retention ..... Jan., 69
Friction, coefficient of ..... Aug., 33
Light scattering efficiency ..... Sept., 57
Mechanical properties, tensile extension ..... Sept., 66
Permeability ..... Oct., 50
Reflectance ..... Jan., 69
Slipperiness ..... Aug., 33
Stress, internal ..... Mar., 33
Surface profile, stylus ..... Aug., 56
Water sensitivity ..... Dec., 48
Yellowing ..... Feb., 51; July, 84

Instrumental Analysis

Auger electron spectroscopy ..... July, 86
Electron microscopy ..... Apr., 36
Electron spectroscopy for chemical analysis .... July, 86
Infrared spectroscopy ..... Apr., 66; July, 86; Oct., 36
Light microscopy ..... Oct., 36
Nuclear magnetic resonance (NMR) ..... Apr., 66
Scanning electron microscopy (SEM) ..... Oct., 36
Specular reflectance infrared absorbance (SRIRA) May, 78
Thermogravimetry ..... Mar., 54
Torsion pendulum, automated ..... Jan., 57
Transmission electron microscopy ..... Oct., 36
X-ray fluorescence ..... July, 86

Materials

Cathodic protection, metal ..... Mar., 47
Friction, coefficient of ..... Aug., 33
Rheological properties, Casson liquids ..... Aug., 39
Slipperiness ..... Aug., 33

Oils

Linseed ..... Feb., 51; Mar., 54; July, 84; Nov., 76
Linseed, tetrafluoroethylene adduct ..... Jan., 81

Paint Additives

Biologically active agents ..... June, 31
Biologically active agents, antifouling ... Feb., 65; Oct., 60
Biologically active agents, fungi/mildew ..... Feb., 56; Apr., 36; Apr., 43; Apr., 48; Apr., 51; Apr., 54; Apr., 56; Apr., 58; Apr., 62; Sept., 78
Biologically active agents, polymer anchored .... Jan., 49; Apr., 62
Driers ..... Mar., 54
Flatting agents ..... July, 69
Optical brighteners ..... July, 84
Thickeners ..... May, 53; May, 61; June, 56; June, 72

Pigments and Extenders

Calcium carbonate ..... Feb., 65
Gray mixture ..... July, 78
Iron oxide ..... Feb., 65; Mar., 62
Polymeric beads, pigmented ..... July, 69
Silica ..... May, 69
Titanium dioxide ..... May, 69; Sept., 57; Nov., 64
Zinc carbonate ..... Feb., 65
Zinc oxide ..... Sept., 62

Color ..... July, 78
Color strength ..... Mar., 62
Light scattering efficiency ..... Sept., 57
Optical properties ..... Nov., 64
Pigment/binder interface ..... Dec., 48
Pigment dispersion ..... Mar., 62
Pigment volume concentration (PVC) ..... July, 78

Polymers and Resins

Acrylic ..... Jan., 49; Oct., 36
Acrylic, amine solubilized ..... Mar., 39
Acrylic - Beta-hydroxylamide ..... Aug., 49
Acrylic emulsion ..... Feb., 59
Acrylic latex ..... Feb., 56
Acrylic - vinyl acetate ..... Jan., 49
Acryloxysilane ..... Aug., 67
N-(Alkoxymethyl)acrylamide copolymers ..... Aug., 67
Alkyd ... May, 86; Sept., 29; Sept., 62; Oct. 29; Oct., 50
Alkyd - amino ..... June, 33
Alkyd, tetra fluoroethylene - linseed ..... Jan., 81
Anionic ..... Mar., 39; Apr., 66
Emulsion, crosslinked ..... June, 41; Aug., 67; Sept., 83; Oct., 70; Dec., 65
Fluorocarbon - acrylic ..... Feb., 59
Latex ..... May, 53; May, 61; May, 69; June, 56; June, 72; Sept., 57; Nov., 64
N-Methylolacrylamide copolymers ..... June, 41
Oil-modified acrylic emulsion ..... Feb., 59
Peroxide-containing polymers ..... Sept., 83
Phenolic ..... Oct., 50
Polyacrylic, blocked isocyanate ..... Dec., 58
Polyester, amine solubilized ..... Apr., 66
Polyester - amino ..... June, 33
Polyester, blocked isocyanate ..... Dec., 58
Polyester - epoxy ..... June, 33
Polyester, glass filled ..... Oct., 36
Polyester, urethane ..... June, 33
Polysulfide ..... Sept., 66
Silicone - acrylic ..... Feb., 59
Styrene - acrylic ..... Nov., 56
Urethane - acrylic emulsion ..... Feb., 59
Urethane - polyesteramide, oil modified ..... Nov., 76
Vinyl ..... Oct., 60
Vinyl - acrylic latex ..... Feb., 56
Vinyl silane ..... Aug., 67

Latex particle size ..... May, 53; May, 61
Mechanical properties, dynamic ..... Jan., 57
Molecular weight ..... May, 86
Rheological properties ..... Nov., 56
Solubility parameter ..... May, 86
Viscosity, intrinsic ..... May, 86

Solvents

Benzene ..... Nov., 82
Evaporation rate ..... Nov., 46; Dec., 39
Solubility parameter ..... May, 86

Substrates or Surfaces to be Coated

Aluminum ..... Sept., 66
Cement mortar ..... Sept., 66
Glass-filled polyester, surface morphology ..... Oct., 36
Metal, cathodic protection ..... Mar., 47
Steel, surface roughness ..... July, 86
Surface profile, stylus ..... Aug., 56
Wood, *Pinus radiata* ..... Feb., 59

Surface Preparation and Pretreatment

Copper chromate, for wood ..... Feb., 59
Zinc phosphate, for metal ..... May, 78
Zinc phosphate, for steel ..... July, 86

Alphabetical Listing of Papers

A

Accelerated Tests of Weather-Resistant Natural Finishes for *Pinus radiata*—A.F. Preston and C.M. Chittenden, Feb., p. 59.

Alkyd Resins Modified with Tetrafluoroethylene Adduct of Conjugated Linseed Fatty Acids—E.W. Bell and L.E. Gast, Jan., p. 81.

Amine Solubilizers for Water-Soluble Acrylic Coatings—Z.W. Wicks, Jr. and G.F. Chen, Mar., p. 39.

Application of Dynamic Mechanical Testing to Thermoset and Coatings Research and Development—M.B. Roller and J.K. Gillham, Jan., p. 57.

Application of Intrinsic Viscosity Data For Determination of Solubility Parameters and Molecular Weights of Alkyds—H. Ahmad and M. Yaseen, May, p. 86.

Approximate Rheological Characterization of Casson Fluids: Template Method for the Brookfield Synchro-Lectric Viscometers—M.R. Rosen and W.W. Foster, Aug., p. 39.

Assessment of Pigment Dispersion by a Colorimetric Technique—R.C. Zeller, Mar., p. 62.

Aureobasidium pullulans: Fine Structure and Development—R.E. Crang and D.G. Pechak, Apr., p. 36.

B

Benzene—Analysis and Impact on the Coatings Industry—D.R. Brezinski, R.C. Domingo, and J.P. Kelly, Nov., p. 82.

C

Cathode Reactions and Metal Dissolution in Cationic Electrodeposition—D.G. Anderson, E.J. Murphy, and J. Tucci III, Nov., p. 38.

Comparison of Electrostatic Spray-Applied Powder Coatings—J.P. Blackwell, D.G. Brady, and H.W. Hill, Jr., Aug., p. 62.

Conservation Through Higher Solids, Lower Energy Cure Coating Resin Systems—R.M. Price, June, p. 33.

D

Device for Weathering Sealants Undergoing Cyclic Movements—K.K. Karpati, June, p. 27.

Dirt Retention on Painted Surfaces—H.K. Raaschou Nielsen, L.O. Kornum, and O. Säberg, Jan., p. 69.

Drier Composition and Yellowing of Linseed Oil Films—H. Rakoff, W.F. Kwolek, and L.E. Gast, Feb., p. 51.

Dynamics of Roll Spatter and Tracking—J.E. Glass: Part I - Commercial Latex Trade Paints, May, p. 53; Part II - Formulation Effects in Experimental Paints, May, p. 61; Part III - Importance of Extensional Viscosities, June, p. 56; Part IV - Importance of G* Recovery and N_1 in Tracking, June, p. 72.

E

Effect of Humidity and Other Ambient Conditions on Evaporation of Ternary Aqueous Solvent Blends—A.L. Rocklin, Nov., p. 46.

Enzymatic Hydrolysis of Cellulosic Wastes to Fermentable Sugars and the Production of Alcohol—L.A. Spano, Feb., p. 71.
Enzymology As It Relates to Mildew Defacement of Organic Coatings—H. Winters, Apr., p. 48.
Evaporation of Organic Cosolvents from Water-Borne Formulations: Theory, Experimental Study, Computer Simulation—J.J. Stratta, P.W. Dillon, and R.H. Semp, Dec., p. 39.

F

From Treating Solution to Filler Surface and Beyond: The Life History of a Silane Coupling Agent—M.R. Rosen, Sept., p. 70.

G

Growth Patterns of Paint Mildew and *Aureobasidium pullulans*—J.A. Schmitt, Apr., p. 51.

H

Heat Stress: Another Parameter to Include in Evaluation of a Paint Mildewcide—R.E. Smith, Feb., p. 56.
High Performance Traffic Paint Based on Isophthalic Acid and Poly-Alpha-Methylstyrene—M.A. Lerman, Oct., p. 29.
How to Make an Energy Survey—A.J. Geib, May, p. 94.
Hydroxamic Acid Esters as Isocyanate Blocking Agents—W.J. Mijs, J.B. Reesink, C.J. Groenenboom, and J.P. Vollmer, Dec., p. 58.
β-Hydroxyalkylamides, Low Polluting Crosslinkers for Carboxyl Containing Polymers—J. Lomax and G. Swift, Aug., p. 29.

I

Impressed Current Cathodic Protection and Its Effect on Marine Paint Systems—M.H. Bingham and P.W. Munn, Mar., p. 47.
Infrared and Nuclear Magnetic Resonance Examination of Amine Dispersed Water-Dilutable Polyester Films for Amine Evolution—Detroit Society for Coatings Technology, Apr., p. 66.
Internal Stress in a Solvent-Cast Thermoplastic Coating—S.G. Croll, Mar., p. 33.
Interrelationship Between Steel Surfaces, Phosphatability, and Corrosion Resistance—J.J. Wojtkowiak and H.S. Bender, July, p. 86.

L

Laboratory Tests for Predicting Field Performance of Mildewcides in Paint Films—R.A. Smith, Apr., p. 58.
Limit of Protectability of Vinyl-Cuprous Oxide-Based Anti-Fouling Coatings in Fouling-Rich Regions—N.A. Ghanem and M.M. Abd El Malek, Oct., p. 60.
Linseed Oil-Metal Acetylacetonate Systems. IV. Thermogravimetry—N. Indictor, C.J. Shahani, N.S. Baer, and M.J.D. Low, Mar., p. 54.

M

Measuring Mildewcidal Activity—B.G. Brand, Apr., p. 54.
Microvoid Coatings: Pigmented, Vesiculated Beads in Flat Latex Paints—R.W. Hislop and P.L. McGinley, July, p. 69.

N

New Approach to the Use of Extenders in Toxin Leachable Anti-Fouling Paints—V.J.D. Rascio and J.J. Caprari, Feb., p. 65.
New Test Method for Resistance to Water Immersion: Some Results Obtained with Two-Part Polysulfide Sealant—K.K. Karpati, Sept., p. 66.
Nondestructive Determination of Zinc Phosphate Coating Weights Using Specular Reflectance Infrared Absorbance (SRIRA)—G.D. Cheever, May, p. 78.
Nutrition of Saprobic Fungi and Control Strategies for Paint Mildew Caused by *Aureobasidium pullulans*—R.A. Zabel and F. Terracina, Apr., p. 43.

O

Optical Brighteners—Their Effect on the Yellow Appearance of Linseed Oil Paint—H. Rakoff and L.E. Gast, July, p. 84.

P

Pigment Volume Concentration Effects in Color Prediction and Practice—R.T. Marcus and J. Welker, July, p. 78.
Polymer Films Containing Chemically Bound Fungicides. An Introduction—G.A. Stahl and C.U. Pittman, Jr., Apr., p. 62.
Potential Rapid Laboratory Tests As An Index of Fungal Activity—D.E. Eveleigh, Apr., p. 56.
Practical Technique for the CPVC Determination of Titanium Dioxide-Containing Latex Paint Systems—K.K. Hesler, Sept., p. 57.
Progression of Microorganisms on Painted Panels in Puerto Rico—T.B. O'Neill and R.W. Drisko, June, p. 31.

R

Report of the Research Director—R.R. Myers, May, p. 47.
Review of Skid and Slip Resistance Standards Relatable to Coatings—P.R. Guevin, Aug., p. 33.
Rheological Properties of Styrene Acrylic Polymers—H.P. Schreiber and G. Thibault, Nov., p. 56.
Role of Surface Morphology and Composition in the Painting of Sheet Molding Compound (SMC) Plastics—G.D. Cheever, Oct., p. 36.

S

Single-Grade Rutile TiO_2 Concept for Interior Latex Trade Sales Systems—C.C. Tatman, Nov., p. 64.
Starch: Renewable Raw Material for the Chemical Industry—W.M. Doane, Jan., p. 88.
Stylus Measurement of the Microgeometry of a Coated Surface—M.J. King and T.R. Thomas, Aug., p. 56.
Survey of the Applications, Properties, and Technology of Crosslinking Emulsions—B.G. Bufkin and J.R. Grawe: Part I, June, p. 41; Part II, Aug., p. 67; Part III, Sept., p. 83; Part IV, Oct., p. 70; Part V, Dec., p. 65.
Synthesis and Mildew Resistance of Vinyl Acetate and Ethyl Acrylate Films Containing Chemically Anchored Fungicides—C.U. Pittman, Jr., G.A. Stahl, and H. Winters, Jan., p. 49.

T

Tentative Interpretation of Water Susceptibility of Paints and a Technological Approach to Reduction—K.M. Oesterle, D. Klotzsch, and H.J. Koll, Dec., p. 48.

U

Use of Fine Particle Silica Extender with Enamel Grade Titanium Dioxide in Latex Paints—H.S. Ritter and M. Schelong, May, p. 69.

W

Water-Dispersible Urethane Polyesteramide Coatings from Linseed Oil—W.J. Schneider and L.E. Gast, Nov., p. 76.

Water Vapor Permeation Through Clear Coatings—M. Yaseen and H.E. Ashton, Oct., p. 50.

Written Technical Communication Involves More Than Writing—C.L. Tierney, T.J. Miranda, and R.E. Wilson, Jan., p. 99.

Z

Zinc Oxide/Non-Mercurial Biocide Combinations in Alkyd House Paints—S. Mark, Sept., p. 62.

Author Index

A

ABD EL MALEK, M.M.—See Ghanem, N.A.

AHMAD, H. and YASEEN, M.—Application of Intrinsic Viscosity Data for Determination of Solubility Parameters and Molecular Weights of Alkyds, May, p. 86.

ANDERSON, D.G., MURPHY, E.J., and TUCCI III, J.—Cathode Reactions and Metal Dissolution in Cationic Electrodeposition, Nov., p. 38.

ASHTON, H.E.—See Yaseen, M.

B

BAER, N.S.—See Indictor, N.

BELL, E.W. and GAST, L.E.—Alkyd Resins Modified with Tetrafluoroethylene Adduct of Conjugated Linseed Fatty Acids, Jan., p. 81.

BENDER, H.S.—See Wojtkowiak, J.

BINGHAM, M.H. and MUNN, P.W.—Impressed Current Cathodic Protection and Its Effect on Marine Paint Systems, Mar., p. 47.

BLACKWELL, J.P., BRADY, D.G., and HILL, H.W., JR.—Comparison of Electrostatic Spray-Applied Powder Coatings, Aug., p. 62.

BRADY, D.G.—See Blackwell, J.P.

BRAND, B.G.—Measuring Mildewcidal Activity, Apr., P. 54.

BREZINSKI, D.R., DOMINGO, R.C., and KELLY, J.P.—Benzene—Analysis and Impact on the Coatings Industry, Nov., p. 82.

BUFKIN, B.G. and GRAWE, J.R.—Survey of the Applications, Properties, and Technology of Crosslinking Emulsions—Part I, June, p. 41; Part II, Aug., p. 67; Part III, Sept., p. 83; Part IV, Oct., p. 70; Part V, Dec., p. 65.

C

CAPRARI, J.J.—See Rascio, V.J.D.

CHEEVER, G.D.—Nondestructive Determination of Zinc Phosphate Coating Weights Using Specular Reflectance Infrared Absorbance (SRIRA), May, p. 78.

CHEEVER, G.D.—Role of Surface Morphology and Composition in the Painting of Sheet Molding Compound (SMC) Plastics, Oct., p. 36.

CHEN, G.F.—See Wicks, Z.W., Jr.

CHITTENDEN, C.M.—See Preston, A.F.

CRANG, R.E. and PECHAK, D.G.—*Aureobasidium pullulans:* Fine Structure and Development, Apr., p. 36.

CROLL, S.G.—Internal Stress in a Solvent-Cast Thermoplastic Coating, Mar., p. 33.

D

DILLON, P.W.—See Stratta, J.J.

DOANE, W.M.—Starch: Renewable Raw Material for the Chemical Industry, Jan., p. 88.

DOMINGO, R.C.—See Brezinski, D.R.

DRISKO, R.W.—See O'Neill, T.B.

E

EVELEIGH, D.E.—Potential Rapid Laboratory Tests As An Index of Fungal Activity, Apr., p. 56.

F

FOSTER, W.W.—See Rosen, M.R.

G

GAST, L.E.—See Bell, E.W.; Rakoff, H.; Schneider, W.J.

GEIB, A.J.—How to Make an Energy Survey, May, p. 94.

GHANEM, N.A. and ABD EL MALEK, M.M.—Limit of Protectability of Vinyl-Cuprous Oxide-Based Anti-Fouling Coatings in Fouling-Rich Regions, Oct., p. 60.

GILLHAM, J.K.—See Roller, M.B.

GLASS, J.E.—Dynamics of Roll Spatter and Tracking—Part I: Commercial Latex Trade Paints, May, p. 53; Part II: Formulation Effects in Experimental Paints, May, p. 61; Part III: Importance of Extensional Viscosities, June, p. 56; Part IV: Importance of G* Recovery and N_1 in Tracking, June, p. 72.

GRAWE, J.R.—See Bufkin, B.G.

GROENENBOOM, C.J.—See Mijs, W.J.

GUEVIN, P.R.—Review of Skid and Slip Resistance Standards Relatable to Coatings, Aug., p. 33.

H

HESLER, K.K.—Practical Technique for the CPVC Determination of Titanium Dioxide-Containing Latex Paint Systems, Sept., p. 57.

HILL, H.W., JR.—See Blackwell, J.P.

HISLOP, R.W. and MCGINLEY, P.L.—Microvoid Coatings: Pigmented, Vesiculated Beads in Flat Latex Paints, July, p. 69.

I

INDICTOR, N., SHAHANI, C.J., BAER, N.S., and LOW, M.J.D.—Linseed Oil-Metal Acetylacetonate Systems. IV. Thermogravimetry, Mar., p. 54.

K

KARPATI, K.K.—Device for Weathering Sealants Undergoing Cyclic Movements, June, p. 27.

KARPATI, K.K.—New Test Method for Resistance to Water Immersion: Some Results Obtained with Two-Part Polysulfide Sealant, Sept., p. 66.

KELLY, J.P.—See Brezinski, D.R.

KING, M.J. and THOMAS, T.R.—Stylus Measurement of the Microgeometry of a Coated Surface, Aug., p. 56.
KLOTZSCH, D.—See Oesterle, K.M.
KOLL, H.J.—See Oesterle, K.M.
KORNUM, L.O.—See Raaschou Nielsen, H.K.
KWOLEK, W.F.—See Rakoff, H.

L

LERMAN, M.A.—High Performance Traffic Paint Based on Isophthalic Acid and Poly-Alpha-Methylstyrene, Oct., p. 29.
LOMAX, J. and SWIFT, G.—β-Hydroxyalkylamides, Low Polluting Crosslinkers for Carboxyl Containing Polymers, Aug., p. 49.
LOW, M.J.D.—See Indictor, N.

M

MARCUS, R.T. and WELKER, J.—Pigment Volume Concentration Effects in Color Prediction and Practice, July, p. 78.
MARK, S.—Zinc Oxide/Non-Mercurial Biocide Combinations in Alkyd House Paints, Sept., p. 62.
MCGINLEY, P.L.—See Hislop, R.W.
MIJS, W.J., REESINK, J.B., GROENENBOOM, C.J., and VOLLMER, J.P.—Hydroxamic Acid Esters as Isocyanate Blocking Agents, Dec., p. 58.
MIRANDA, T.J.—See Tierney, C.L.
MUNN, P.W.—See Bingham, M.H.
MURPHY, E.J.—See Anderson, D.G.
MYERS, R.R.—Report of the Research Director, May, p. 47.

O

OESTERLE, K.M., KLOTZSCH, D., and KOLL, H.J.—Tentative Interpretation of Water Susceptibility of Paints and a Technological Approach to Reduction, Dec., p. 48.
O'NEILL, T.B. and DRISKO, R.W.—Progression of Microorganisms on Painted Panels in Puerto Rico, June, p. 31.

P

PECHAK, D.G.—See Crang, R.E.
PITTMAN, C.U., JR., STAHL, G.A., and WINTERS, H.—Synthesis and Mildew Resistance of Vinyl Acetate and Ethyl Acrylate Films Containing Chemically Anchored Fungicides, Jan., p. 49.
PITTMAN, C.U., JR—See Stahl, G.A.
PRESTON, A.F. and CHITTENDEN, C.M.—Accelerated Tests of Weather-Resistant Natural Finishes for *Pinus radiata*, Feb., p. 59.
PRICE, R.N.—Conservation Through Higher Solids, Lower Energy Cure Coating Resin Systems, June, p. 33.

R

RAASCHOU NIELSEN, H.K., KORNUM, L.O., and SÄBERG, O.—Dirt Retention on Painted Surfaces, Jan., p. 69.
RAKOFF, H., KWOLEK, W.F., and GAST, L.E.—Drier Composition and Yellowing of Linseed Oil Films, Feb., p. 51.
RAKOFF, H. and GAST, L.E.—Optical Brighteners—Their Effect on the Yellow Appearance of Linseed Oil Paint, July, p. 84.
RASCIO, V.J.D. and CAPRARI, J.J.—New Approach to the Use of Extenders in Toxin Leachable Anti-Fouling Paints, Feb., p. 65.
REESINK, J.B.—See Mijs, W.J.
RITTER, H.S. and SCHELONG, M.—Use of Fine Particle Silica Extender with Enamel Grade Titanium Dioxide in Latex Paints, May, p. 69.
ROCKLIN, A.L.—Effect of Humidity and Other Ambient Conditions on Evaporation of Ternary Aqueous Solvent Blends, Nov., p. 46.
ROLLER, M.B. and GILLHAM, J.K.—Application of Dynamic Mechanical Testing to Thermoset and Coatings Research and Development, Jan., p. 57.
ROSEN, M.R. and FOSTER, W.W.—Approximate Rheological Characterization of Casson Fluids: Template Method for the Brookfield Synchro-Lectric Viscometers, Aug., p. 39.
ROSEN, M.R.—From Treating Solution to Filler Surface and Beyond: The Life History of a Silane Coupling Agent, Sept., p. 70.

S

SÄBERG, O.—See Raaschou Nielsen, H.K.
SCHELONG, M.—See Ritter, H.S.
SCHMITT, J.A.—Growth Patterns of Paint Mildew and *Aureobasidium pullulans*, Apr., p. 51.
SCHNEIDER, W.J. and GAST, L.E.—Water-Dispersible Urethane Polyesteramide Coatings from Linseed Oil, Nov., p. 76.
SCHREIBER, H.P. and THIBAULT, G.—Rheological Properties of Styrene Acrylic Polymers, Nov., p. 56.
SEMP, R.H.—See Stratta, J.J.
SHAHANI, C.J.—See Indictor, N.
SMITH, R.A.—Heat Stress: Another Parameter to Include in Evaluation of a Paint Mildewcide, Feb., p. 56.
SMITH, R.A.—Laboratory Tests for Predicting Field Performance of Mildewcides in Paint Films, Apr., p. 58.
SPANO, L.A.—Enzymatic Hydrolysis of Cellulosic Wastes to Fermentable Sugars and the Production of Alcohol, Feb., p. 71.
STAHL, G.A.—See Pittman, C.U., Jr.
STAHL, G.A. and PITTMAN, C.U., JR.—Polymer Films Containing Chemically Bound Fungicides. An Introduction, Apr., p. 62.
STRATTA, J.J., DILLON, P.W., and SEMP, R.H.—Evaporation of Organic Cosolvents from Water-Borne Formulations: Theory, Experimental Study, Computer Simulations, Dec., p. 39.
SWIFT, G.—See Lomax, J.

T

TATMAN, C.C.—Single-Grade Rutile TiO_2 Concept for Interior Latex Trade Sales Systems, Nov., p. 64.
TERRACINA, F.—See Zabel, R.A.
THIBAULT, G.—See Schreiber, H.P.
THOMAS, T.R.—See King, M.J.
TIERNEY, C.L., MIRANDA, T.J., and WILSON, R.E.—Written Technical Communication Involves More Than Writing, Jan., p. 99.
TUCCI III, J.—See Anderson, D.G.

V

VOLLMER, J.P.—See Mijs, W.J.

W

WELKER, J.—See Marcus, R.T.

WICKS, Z.W., JR. and CHEN, G.F.—Amine Solubilizers for Water-Soluble Acrylic Coatings, Mar., p. 39.

WILSON, R.E.—See Tierney, C.L.

WINTERS, H.—Enzymology As It Relates to Mildew Defacement of Organic Coatings, Apr., p. 48.

WINTERS, H.—See Pittman, C.U., Jr.

WOJTKOWIAK, J. and BENDER, H.S.—Interrelationship Between Steel Surfaces, Phosphatability, and Corrosion Resistance, July, p. 86.

Y

YASEEN, M. and ASHTON, H.E.—Water Vapor Permeation Through Clear Coatings, Oct., p. 50.

YASEEN, M.—See Ahmad, H.

Z

ZABEL, R.A. and TERRACINA, F.—Nutrition of Saprobic Fungi and Control Strategies for Paint Mildew Caused by *Aureobasidium pullulans*, Apr., p. 43.

ZELLER, R.C.—Assessment of Pigment Dispersion by a Colorimetric Technique, Mar., p. 62.

Proceedings Of the Paint Research Institute

No. 127—Synthesis and Mildew Resistance of Vinyl Acetate and Ethyl Acrylate Films Containing Chemically Anchored Fungicides—C.U. Pittman, Jr., G.A. Stahl, and H. Winters, Jan., p. 49.

No. 128—*Aureobasidium pullulans:* Fine Structure and Development—R.E. Crang and D.G. Pechak, Apr., p. 36.

No. 129—Nutrition of Saprobic Fungi and Control Strategies for Paint Mildew Caused by *Aureobasidium pullulans*—R.A. Zabel and F. Terracina, Apr., p. 43.

No. 130—Enzymology As It Relates to Mildew Defacement of Organic Coatings—H. Winters, Apr., p. 48.

No. 131—Growth Patterns of Paint Mildew and *Aureobasidium pullulans*—J.A. Schmitt, Apr., p. 51.

No. 132—Measuring Mildewcidal Activity—B.G. Brand, Apr., p. 54.

No. 133—Potential Rapid Laboratory Tests As An Index of Fungal Activity—D.E. Eveleigh, Apr., p. 56.

No. 134—Laboratory Tests for Predicting Field Performance of Mildewcides in Paint Films—R.A. Smith, Apr., p. 58.

No. 135—Polymer Films Containing Chemically Bound Fungicides. An Introduction—G.A. Stahl and C.U. Pittman, Jr., Apr., p. 62.

No. 136—Report of the Research Director, May, p. 47.

Constituent Society Papers

DETROIT—Infrared and Nuclear Magnetic Resonance Examination of Amine Dispersed and Water-Dilutable Polyester Films for Amine Evolution, Apr., p. 66.